

**INDEX MAPS.**  
**T. 28N, R. 2W. 2<sup>nd</sup> Mer.**

264	6	297	5	288	4	282	3	276	2	270	1	262
	297		296		288		281		275		269	
264	7	296	8	287	9	281	10	275	11	269	12	262
	295		294		287		280		274		268	
263	18	294	17	286	16	280	15	274	14	268	13	261
	293		293		285		279		273		267	
263	19	292	20	285	21	279	22	273	23	267	24	261
	292		291		284		278		272		266	
263	30	291	29	284	28	277	27	271	26	266	25	261
	290		289		283		277		271		265	
262	31	289	32	282	33	276	34	270	35	265	36	260
	260		260		260		259		259		259	

**T. 17N, R. 5W. 2<sup>nd</sup> Mer.**

	306		305		305		305		305		304	
307	6	328	5	324	4	319	3	315	2	311	1	304
	330		327		323		319		315		311	
307	7	327	8	323	9	319	10	315	11	311	12	304
	329		327		323		318		314		310	
307	18	326	17	322	16	318	15	314	14	310	13	303
	329		326		322		318		314		310	
307	19	325	20	321	21	317	22	313	23	309	24	303
	329		325		321		317		313		309	
306	30	324	29	321	28	317	27	313	26	309	25	303
	328		324		320		316		312		308	
306	31	324	32	320	33	316	34	312	35	308	36	303
	302		302		302		301		301		301	

(F) The figures on the lines refer to the page.

Township N. 17 North, Range N. 3 West 2. Mer. Ind.

Township Series.

Chs. & M. South Boundary Var. 6. 10. E.

Bearings at cor. of T. 17 N, R. 2 & 3 W.

a Elm 15 in. diameter N 64 W 10 lbs. dist. 8

a Maple 9 " " " S 12 E 14 " "

West on the S. Boundary of Sec. 36

40.00 set of sec. part from which

a Beech 9 in. diameter N 63 E 15 lbs. dist. 8

a Do 8 " " " S 66 W 28 " "

80.00 set part cor. of sec. 35 & 36 from which

a Beech 14 in. diameter N 4 E 12 lbs. dist. 8

a W. Ash 18 " " " S 24 W 18 " "

Land level & rather wet, timber Oak, Beech, Hickory,  
Elm, Poplar, Gum, Ash

West on the S. Boundary of Sec. 35

40.00 set of sec. part from which

a Beech 9 in. diameter N 49 W 25 lbs. dist. 8

a Do 8 " " " S 34 E 22 " "

59.00 a Brook 8 lbs. wide course S

80.00 set part cor. of sec. 34 & 35 from which

a Sugar 18 in. diameter N 25 E 41 lbs. dist. 8

a Beech 4 " " " S 82 W 5 " "

Good farming land, timber Beech, Sugar, Ash,  
Oak, Hickory, Elm

West on the S. Boundary of Sec. 34

40.00 set of sec. part from which

a Beech 9 in. diameter N 20 E 15 lbs. dist. 8

a Do 9 " " " S 26 E 4 " "

80.00 set part cor. of sec. 33 & 34 from which

a Beech - in. diameter S 83 E 27 lbs. dist. 8

a Do 9 " " " West 13 " "

Land level, part wet, part good for farming  
2<sup>d</sup> rate. Timber same as last noted

## T. 17 N., R. 3 W. 2. Mer. Ind. a.

Chs. Lks.

West on the S. Boundary of Sec. 33

40.00 set g. sec. post from which

a Beech 10 in. diameter N 16 W 20 lbs. dist 8

a Do 9 " " " S 47 E 12 " "

66.00 a Brook 10 lbs. wide corner S

80.00 set post cor. of sec. 32 &amp; 33 from which

a Beech 10 in. diameter S 69 E 20 lbs. dist 8

a W. Ash 8 " " " S 84 W 11 " "

W 1/2 mile rich & good for farming, 8 1/2 mile  
2nd to land, level, timbered Beech, Sugar &c.

West on the S. Boundary of Sec. 32

40.00 set g. sec. post from which

a Hickory 8 in. diameter N 84 E 11 lbs. dist 8

a Beech 9 " " " N 85 W 41 " "

55.00 a Brook 10 lbs. wide corner N W

80.00 set post cor. of sec. 31 &amp; 32 from which

a Hickory 12 in. diameter N 11 E 18 lbs. dist 8

a Do 10 " " " S 40 E 12 " "

Land rich & good for farming, a little rolling,  
timbered same as last noted

West on the S. Boundary of Sec. 31

13.34 Intersect Range line 690 lbs. N. of temp. Township  
corner, set post at intersection cor. of T. 16 N., R.

3 &amp; 4 W. from which

a B. Walnut 12 in. diameter S 24 W 4 lbs. dist 8

a W. Oak 5 " " " N 7 E 22 " "

40.00 set g. sec. post from which

a Hickory 30 in. diameter S 68 E 11 lbs. dist 8

a Beech 18 " " " N 73 W 23 " "

68.00 a Creek 30 lbs. wide corner N

80.00 set post cor. of T. 17 N., R. 3 &amp; 4 W. from which

an Ironwood 5 in. diameter N 28 W 20 lbs. dist 8

a Hickory 30 " " " S 29 W 2 " "

Land same as on the last mile. Aug. 10. 1819

T. 17 N., R. 3 W. 2. Mer. Ind. a.  
Chs. Lp.

East Boundary. Var. 6°. 25' E.

North on the E. Boundary of Sec. 36

40.00 set of sec. part from which

a Beech 12 in. dia. bears S 12° W 18 lbs. dist. 3

a Sugar 18 " " " N 35° W 35 " "

80.00 set part cor. of sec. 25 & 36 from which

a Poplar 9 in. dia. bears S 2° W 19 lbs. dist. 2

an Elm 12 " " " N 32° W 31 " "

Land level 2. rate, parts wet, timber Beech, Sugar  
Ash, Elm, Oak &c.

North on the E. Boundary of Sec. 25

40.00 set of sec. part from which

a Poplar 48 in. dia. bears S 38° W 19 lbs. dist. 2

a Sugar 8 " " " N 13° W 31 " "

80.00 set part cor. of sec. 24 & 25 from which

a Beech 11 in. dia. bears N 76° W 15 lbs. dist. 2

a Poplar 36 " " " N 59° E 4 " "

Land level good for farming, timber same

North on the E. Boundary of Sec. 24

40.00 set of sec. part from which

a Beech 10 in. dia. bears N 66° E 14 lbs. dist. 3

a Poplar 30 " " " N 86° W 5 " "

80.00 set part cor. of sec. 13 & 24 from which

a Beech 10 in. dia. bears N 18° E 11 lbs. dist. 3

a Do 9 " " " S 8° W 24 " "

Land same as on the last mile

North on the E. Boundary of Sec. 13

40.00 set of sec. part from which

a Sugar 9 in. dia. bears N 68° W 11 lbs. dist. 3

a Do 18 " " " S 36° E 21 " "

65.00 a Brook 15 lbs. wide course W

80.00 set part cor. of sec. 12 & 13 from which

a Sugar 6 in. dia. bears S 20° E 18 lbs. dist. 3



T. 17 N., R. 3 W. D. Mer. Ind. Co.  
Chs. Ind.

a Sugar 10 in. dia bears N 32 E 18 lbs. dist.  
Land a little rolling, timber Beech, Sugar  
Walnut, Ash, Oak &c. rich & good for farming

North on the E. Boundary of Sec. 12

40.00 set of sec. post from which

a Hickory 18 in. dia bears S 77 W 18 lbs. dist. &

a Beech 9 " " " N 7 E 23 " "

80.00 to post cor. of sec. 10 & 12 from which

a Beech 9 in. dia bears N 17 E 4 lbs. dist. &

a Do 12 " " " S 13 W 38 " "

Land similar to the last mile

North on the E. Boundary of Sec. 1

30.00 a Creek 30 lbs. wide course W

40.00 set of sec. post from which

a W. Beech 5 in. dia bears S 4 E 27 lbs. dist. &

a Beech 9 " " " N 53 W 17 " "

63.00 a Brook 10 lbs. wide course W

80.00 to temp. Township cor.

Land &c. same as in the last mile.

North Boundary. Var. E. 25° E.

Bearings at cor. of T. 17 & 18 N., R. 2 & 3 W

a Beech 24 in. dia bears West 21 lbs. dist. &

a Do 9 " " " S 62 E 34 " "

West on the S. Boundary of Sec. 36, T 18 N., R 3 W

20.00 a Creek 50 lbs. wide course S W

30.00 same " " N W

40.00 set of sec. post from which

a Buckeye 6 in. dia bears S 1 E 6 lbs. dist. &

a B. Walnut 30 " " " N 39 W 15 " "

46.00 same Creek course S W

62.00 " " " " N W

80.00 set post cor. of sec. 35 & 36 from which

a Beech 14 in. dia bears S 59 E 39 lbs. dist. &

Surveyed.

## T. 17 N., R. 3 W. 2. Mer. Ind. a.

Chr. Chr.

a S. Oak 24 in. diameter S 52 W 27 1/2 m. dist.

Land level 2<sup>d</sup> rate, good for farming, timber same

West on the S. Boundary of Sec. 35, T 18 N., R 3 W

38.00 same creek come S W

40.00 set of sec. post in creek from which

a Hackberry 30 in. diameter West 254 1/2 m. dist.

(no other Bearing tree)

80.00 set post cor. of sec. 34 &amp; 35 from which

a Beech 9 in. diameter N 70 E 27 1/2 m. dist. S

a Sugar 7 " " " S 61 W 18 " "

Land same as on the last mile

West on the S. Boundary of Sec. 34, T 18 N., R 3 W

40.00 set of sec. post from which

a W. Oak 8 in. diameter S 70 E 36 1/2 m. dist. S

a Maple 18 " " " N 67 W 18 " "

80.00 set post cor. of sec. 33 &amp; 34 from which

a W. Ash 8 in. diameter S 39 E 12 1/2 m. dist. S

a Hickory 30 " " " N 7 E 6 " "

Land similar to that on last mile

West on the S. Boundary of Sec. 33, T 18 N., R 3 W

40.00 set of sec. post from which

a Hickory 10 in. diameter N 78 E 13 1/2 m. dist. S

a W. Ash 6 " " " N 76 W 13 " "

80.00 set post cor. of sec. 32 &amp; 33 from which

a Beech 16 in. diameter N 43 E 33 1/2 m. dist. S

a Do 8 " " " S 17 W 26 " "

E 1/2 mile land same as on the last mile,

W 1/2 mile wet swampy

West on the S. Boundary of Sec. 32, T 18 N., R 3 W

40.00 set of sec. post from which

a W. Ash 6 in. diameter N 34 E 18 1/2 m. dist. S

a Beech 11 " " " S 87 W 35 " "

T. 17 N., R. 3 W. 2. Mer. Ind.<sup>u</sup>Chs. 2<sup>nd</sup>

80.00 set part cor. of sec. 31 & 32 from which  
 a Beech 11 in. diam bears N 86 E 25 lbs. dist. 8  
 a Do 14 " " " S 66 W 21 " "  
 Land part wet & part good for farming

West on the S. Boundary of Sec. 31, T 18 N, R 3 W

40.00 set g. sec. part from which

a Sugar 12 in. diam bears S 44 E 4 lbs. dist. 8  
 a Do 12 " " " N 48 W 26 " "

77.73 Intersect Range line 100 lbs. S. of temp. Township  
 corner, set part at intersection cor. of T. 17 & 18 N,  
 R. 3 & 4 W. from which

a Hickory 30 in. diam bears S 27 W 9 lbs. dist. 8  
 a Sugar 14 " " " N 50 E 34 " "

1/2 mile rich & good for farming, 8 1/2 mile  
 part wet

West Boundary, Var. C. 40. E.

North on the E. Boundary of Sec. 36, T 17 N, R 4 W

12.00 a Brook 30 lbs. wide course W

40.00 set g. sec. part from which

an Ironwood 7 in. diam bears S 13 E 10 lbs. dist. 8  
 a Do 6 " " " N 81 W 9 " "

73.00 a Creek 50 lbs. wide course W

80.00 set part cor. of sec. 25 &amp; 36 from which

a Thorn 7 in. diam bears N 57 W 7 lbs. dist. 8  
 a W. Beech 8 " " " S 21 E 19 " "

Land rolling & good for farming, timber Beech,  
 Sugar, Ash, Oak, Elm, Lym &c.

North on the E. Boundary of Sec. 25, T 17 N, R 4 W

40.00 set g. sec. part from which

a Hickory 24 in. diam bears S 47 E 29 lbs. dist. 8  
 an Ironwood 8 " " " North 8 " "

80.00 set part cor. of sec. 24 &amp; 25 from which

a W. Oak 30 in. diam bears S 43 E 10 lbs. dist. 8

T. 17 N., R. 3 W. 2. Mer. Ind.<sup>a</sup>

Chr. Chr.

a W. Oak 9 in. diameter N 19 W 30 lbs. dirt.  
 Land level part rather wet, timber Oak, Hickory,  
 Ash, Sugar, Beech, Elm - Spruce

North on the E. Boundary of Sec. 24, T. 17 N., R. 4 W.

40.00 set of sec. part from which

a Beech 9 in. diameter S 82 E 19 lbs. dirt &  
 an Ironwood 5 " " " N 28 W 10 " "

80.00 set part cor. of Sec. 13 &amp; 24 from which

a W. Oak 9 in. diameter N 30 E 22 lbs. dirt &  
 a Spr 30 " " " N 58 W 19 " "

Land similar, middling good farming land

North on the E. Boundary of Sec. 13, T. 17 N., R. 4 W.

10.00 a Creek 50 lbs. wide course S 9 W

40.00 set of sec. part from which

a Sugar 24 in. diameter S 13 E 11 lbs. dirt &  
 a W. Oak 6 " " " N 14 W 44 " "

80.00 set part cor. of Sec. 12 &amp; 13 from which

an Ironwood 6 in. diameter S 49 W 11 lbs. dirt &  
 a Beech 6 " " " N 48 W 12 " "

Land level rich & good for farming, timber  
 Beech, Sugar, Walnut, Ash, Oak, Buckeye

North on the E. Boundary of Sec. 12, T. 17 N., R. 4 W.

40.00 set of sec. part from which

a Beech 18 in. diameter S 7 E 10 lbs. dirt &  
 a W. Oak 14 " " " N 15 W 19 " "

80.00 set part cor. of Sec. 10 &amp; 12 from which

a Sugar 18 in. diameter S 29 W 41 lbs. dirt &  
 a Beech 30 " " " N 40 E 47 " "

Land level & good for farming, timber Beech,  
 Sugar, Ash, Elm, Oak, Gum

North on the E. Boundary of Sec. 1, T. 17 N., R. 4 W.

5.00 Fort Wayne trail



T. 17 N., R. 3 W. 2. Mer. Ind.<sup>u</sup>

Chs. Ch.

- 30.00 a Brook 10 lks. wide course W  
 32.00 a Spring branch 4 lks. wide course N  
 38.00 a Creek 20 lks. wide course SW  
 40.00 set of sec. post from which  
     a W. Beech 8 in. dia. bears S 57 E 8 lks. dist. 23  
     a Beech 10 " " " N 3 E 11 " " "  
 80.00 set temp. Township corner.  
 Land &c. similar to the last mile  
 Surveyed in 1819 by William Harris  
 Dep. Surveyor.

## Subdivision.

North between Secs. 35 &amp; 36, T. 17 N., R. 3 W.

- 15.70 a Beech 12 in. dia.  
 40.00 Set gr. Sec. post from which  
     a Beech 10 in. dia. bears N 42 E 13 lks. dist.  
     a Elm 30 " " " S 34 W 25 " "  
 64.75 a B. Ash 24 " "  
 65.15 a Brook 4 wide bears W.  
 80.00 Set post cor. to sec. 25 & 36 from which  
     a B. Walnut 20 in. dia. bears S 55 W 15 lks. dist.  
     a Beech 12 " " " S 88 E 18 " "  
 1 1/2 mile level good 2<sup>d</sup> rate land 2 1/2 m.  
 same timber Beech sugar poplar B. Oak  
 Undergrowth Spice &c.

East on Random between Secs. 25 &amp; 36

- 40.00 Set temp. gr. Sec. post  
 80.00 Intersected C. Boundary 10 lks. E. of post  
 Land level good 2<sup>d</sup> rate. timber Beech  
 Sugar ash W. Oak Ugr. Spice &c

West Corrected between Secs. 25 &amp; 36

- 40.00 Set post for gr. Sec. cor. at avr. dist. from which  
     a Poplar 36 in. dia. bears S 82 W 3 lks. dist.  
     a Beech 12 " " " S 36 E 4 " "



Chs. Lm.

80.00 Sec. cor.

North Between Secs 25 &amp; 26

16.21 a Beech 12 in. dia.

40.00 Set gr. Sec. post from which  
a Sugar 20 in. dia. bears N 74 E 10 lks. dist.  
a Beech 8 " " " N 38 W 20 " "

53.40 a Do 16 " "

61.83 a Brook 4 lks wide course W.

80.00 Set post cor. to sec. 23. 24. 25. 26 from which  
a Beech 9 in. dia. bears S 31 W 30 lks. dist.  
a Do 15 " " " N 54 E 32 " "Land 1 $\frac{1}{2}$  M. level good 2<sup>d</sup> rate 2<sup>d</sup> p. M.  
Same. Timber Beech Sugar ash & poplar  
W Oak & Agr. Spice &c

East on Random between Secs 24 &amp; 25

23.00 a Brook 3 lks. S W.

40.00 Set temp. gr. Sec. post

57.50 a Brook 3 lks wide S. W.

80.10 Intersected C. Boundary 15 lks. S of post  
Land level good 2<sup>d</sup> rate. Timber Beech  
Sugar poplar. W. Oak Agr. Spice &c

West Corrected between Secs 25 &amp; 25

40.05 Set gr Sec. post at cor. arr. dist from which  
a Poplar 60 in. dia. bears S 29 W 16 lks. dist.  
a Hickory 18 " " " N 20 W 12 " "

80.10 Sec. cor.

North Between Secs 23 &amp; 24

19.75 a W. Oak 30 in. dia.

40.00 Set gr Sec. post from which  
a Beech 10 in. dia. bears S 26 E 9 lks. dist.  
a Do 13 " " " S 81 W 22 " "

58.00 a W. Oak 10 " "

T. 17 N., R. 3 W. T. Mer. Ind. a

lho. lho

80.00 Set post cor. to Sec. 13. 14. 23. 24 from which  
an Ironwood 8 in. dia. bears N 56 W 3 lho. dist.  
an Do 10 " " " S 38 E 23 " "  
Land 1 $\frac{1}{2}$  M. level 2<sup>d</sup> rate 2 $\frac{1}{2}$  M. same  
Timber Beech Sugar W. Oak Ugr. Spice &c

---

East on Random between Sec. 13 & 24

40.00 Set temp gr. post

80.00 Intersected C. Boundary 30 lho. S. of post  
Land level 2<sup>d</sup> rate. Timber Beech Sugar  
Poplar Ash &c Ugr. Spice &c

---

West Corrected between Sec. 13 & 24

40.00 Set gr Sec. post at arr. dist from which  
a Poplar 30 in. dia. bears S 31 W 31 lho. dist.  
a W. Ash 20 " " " N 42 W 25 " "

80.00 Sec. cor. July 17<sup>th</sup> 1820

---

North Between Sec 13 & 14

21.04 a B. Walnut 30 in. dia.

40.00 Set gr Sec. post from which  
a Beech 24 in. dia. bears N 12 W 10 lho. dist.  
a Do 20 " " " S 15 W 36 " "

40.50 a Brook 6 lho wide N W

59.04 a Beech 16 in. dia.

80.00 Set post cor. to Sec. 11. 12. 13. 14 from which  
a Beech 16 in. dia. bears S 61 W 8 lho. dist.  
a Do 20 " " " S 72 E 26 " "  
Land 1 $\frac{1}{2}$  p. Mile good 2<sup>d</sup> rate 2 $\frac{1}{2}$  M.  
same timber Beech Sugar. W. Oak Poplar  
Undergrowth Spice &c

---

East on Random between Sec. 12 & 13

40.00 Set temp gr. post

80.00 Intersected C. Boundary 61 S. of post  
Land & timber same as the other

---

## T. 17 N., R. 3 W. 2. Mer. Ind. a

Chs. Chs.

West Corrected Between Secs 12 &amp; 13

40.01 $\frac{1}{2}$  set post for gr Sec. cor at avr. dist. from which  
a W. Oak 30 in. dia. bears S 7 W 23 lbs. dist

a Beech 16 " " " N 69 W 14 " "

80.03 Sec. cor.

North Between Secs 11 &amp; 12

18.60 a Sugar 12 in. dia

40.00 Set gr Sec. post from which

a Beech 14 in. dia. bears N 13 E 8 lbs. dist

a W. Oak 24 " " " N 76 W 23 " "

65.20 a Beech 18 " "

80.00 Set post cor. to sec. 1. 2. 11. 12 from which

a Sugar 12 in. dia. bears N 72 E 20 lbs. dist.

a W. Oak 12 " " " N 60 W 10 " "

Land 1 $\frac{1}{2}$  h. M. level good 2<sup>d</sup> rate 2 $\frac{3}{4}$  m. sum

Timber Beech Sugar Ash W. Oak poplar

Ugr. Spice &amp;c

East on Random between Secs 1 &amp; 12

40.00 Set temp. gr. Sec. post

80.10 Intersected C. Boundary 52 lbs. S of post

Land level good 2<sup>d</sup> rate Timber Beech

Sugar poplar Ash W. Oak &amp;c Ugr. Spice &amp;c

West Corrected Between Secs 1 &amp; 12

40.05 Set post for gr. Sec. cor. at avr. dist. from which

a Hickory 24 in. dia. bears S 43 E 30 lbs. dist.

a Lym 24 " " " N 61 W 18 " "

80.10 Sec. cor.

North Between Secs 1 &amp; 2

4.00 a Brook 2 lbs course W.

20.70 a Beech 12 in. dia

40.00 Set gr Sec. post from which

a Hickory 40 in. dia. bears S 7 W 14 lbs. dist.

T. 17 N., R. 3 W. 2. Mec. Ind.<sup>a</sup>

tho. 24

a Beech 8 in. dia. bears N 196° 13 lbs. dist.  
 63.90 Do 18 .. ..  
 80.81 Intersected N. Boundary 10 lbs. west of post  
 set post cor. to sec. 1 & 2 from which  
 a Beech 15 in. dia. bears S 65° 38 lbs. dist  
 a R. Oak 24 .. .. S 90° W 21 .. ..  
 Land 1½ ¼ mile level 2<sup>d</sup> rate 2½ m. same  
 Timber Beech sugar ash poplar W. Oak  
 Ugr. Spice July 18½ 1820

North Between Secs 34 & 35

17.00 a Beech 20 in. dia.  
 40.00 Set gr sec. post from which  
 a Beech 20 in. dia. bears N 56° 33 lbs. dist  
 a Sugar 8 .. .. S 25° W 13 .. ..  
 65.90 a Do 18 .. ..  
 70.94 a Brook 4 lbs wide W.  
 80.00 Set post cor to sec. 26, 27, 34, 35 from which  
 a Beech 14 in. dia. bears S 78° W 5 lbs. dist  
 a Do 10 .. .. N 83° 24 .. ..  
 Land 1½ ¼ mile level good 2<sup>d</sup> rate 2½ m.  
 same Timber Beech Sugar ash R. Oak  
 W. Oak. Walnut Ugr. Spice &c

East on Random between Secs 26 & 35

40.00 Set temp gr. post  
 80.50 Intersected N & S line 30 lbs N. of post  
 Land level good 2<sup>d</sup> rate Timber Beech  
 Sugar W Oak R. Oak Walnut Ugr. Spice

West Corrected Between Secs 26 & 35

40.25 Set post for gr sec. cor. at avr. dist from  
 a Beech 9 in. dia. bears N 66° 16 lbs. dist.  
 a W Oak 24 .. .. S 32° W 4 .. ..  
 80.50 Sec. cor.



T. 17 N., R. 3 W. 2. Mer. Ind.<sup>a</sup>

Chas.

North Between Secs 26 & 27

9.56 a Brook 8 Chas. S.W.

25.51 a Beech 12 in. dia.

40.00 Set gr. Sec. post from which  
a Sugar 14 in. dia. bears N 58 W 14 Chs. dist.  
a Do 20 " " " South 10 " "

60.90 an Ironwood 10 in. dia.

80.00 Set post ev. to sec. 22. 23. 26. 27 from which  
a Sugar 20 in. dia. bears. N 42 W 41 Chs. dist  
an Oak 40 " " " S 58 E 27 " "  
Land 1 $\frac{1}{2}$  mile level good 2<sup>d</sup> rate 2<sup>d</sup> m.  
same. Timber Sugar Beech W & R. Oak  
Poplar Elm &c Ugr. Spice &c

East on Random between Secs 23 & 26

40.00 Set temp gr. post

80.47 Intersected N & S. line 18 Chs. N. of post  
Land level 2<sup>d</sup> rate. Timber Beech Sugar  
Poplar &c Ugr. Spice &c

West Corrected Between Secs 23 & 26

40.23 $\frac{1}{2}$  Set post for gr. Sec. cor. at avr. dist. from which  
a Beech 12 in. dia. bears S 62 W 30 Chs. dist.  
a Do 18 " " " N 74 W 31 " "

80.47 Sec. cor.

North Between Secs 22 & 23

16.33 a Sugar 24 in. dia.

30.00 a Brook 3 Chs. S.W.

40.00 Set gr. Sec. post from which  
a W. Oak 16 in. dia. bears N 74 E 18 Chs. dist  
a W. Oak 24 " " " N 54 W 12 " "

62.43 a W. Oak 30 " "

80.00 Set post to ev. Sec. 14. 15. 22. 23 from which  
a W. Oak 9 in. dia. bears N 65 W 5 Chs. dist.  
a Do 10 " " " N 30 E 18 " "



T. 17 N., R. 3 W. S. Mer. Ind.<sup>a</sup>

6 hrs. 4 hrs.

$\frac{1}{2}$  mile level 2<sup>o</sup> rate. Timber Beech  
Sugar W. Oak R. Oak & Ugr. Spice Hazel &c

East on Random between Secs. 14 & 23

40.00 Set temp. gr. Sec. post

80.50 Intersected N & S line 5 lks N. of post  
Land level 2<sup>o</sup> rate timber Beech Sugar  
Elm Maple W. Oak & Undergrowth  
Hazel Spice &c

West Corrected Between Secs. 14 & 23

40.25 Set gr. Sec. post cor. at arr. dist. from which  
an Elm 24 in. dia. bears S 71° W 13 lks. dist.  
a W. Oak 12 " " " N 116° 24 " "

80.50 Sec. cor. July 19<sup>th</sup> 1820

North Between Secs. 14 & 15

25.23 a Sugar 18 in. dia. bears

33.00 a Brook 8 lks. wide S. W

40.00 Set gr. Sec. post from which  
a Beech 20 in. dia. bears N 40° W 24 lks. dist  
a Do 10 " " " S 22° 15 " "

67.70 Do 12 " "

80.00 Set post cor. to sec. 10. 11. 14. 15 from which  
a W. Oak 30 in. dia. bears N 29° 32 lks. dist  
a Beech 24 " " " S 39° 34 " "  
Land  $\frac{1}{2}$  mile level 2<sup>o</sup> rate 2<sup>h</sup> M.  
Same timber Beech Sugar poplar  
W. Oak R. Oak. Ugr. Spice &c

East on Random between Secs. 11 & 14

40.00 Set temp. gr. post

80.32 Intersected N & S line 15 lks. S. of post  
Land level good 2<sup>o</sup> rate Timber Beech  
Sugar Poplar W. Oak & Ugr. Spice &c

T. 17 N., R. 3 W. 2. Mer. Ind.<sup>a</sup>

6hs. 2hs

West Corrected Between Secs 11 & 14  
 40.16 Set gr Sec. cor. at avr. dist. from which  
 a Beech 12 in. dia. bears North 16 lbs. dist  
 a Sugar 24 " " " N 66 E 8 " "  
 80.32 Sec. cor.

North Between Secs 10 & 11  
 26.80 a Buckeye 12 in. dia.  
 29.00 a Brook 4 ft. wide S. W  
 40.00 Set gr Sec. post from which  
 a Beech 10 in. dia. bears N 41 W 2 lbs. dist  
 a Hickory 20 " " " S 10 E 36 " "  
 60.83 a Beech 12 " "  
 80.00 Set post cor. to sec. 2, 3, 10, 11 from which  
 a Hickory 20 in. dia. bears N 1 W 25 lbs. dist  
 a Beech 24 " " " S 83 E 31 " "  
 Land 1 1/4 mile level part bottom 2 1/2 mile  
 2<sup>nd</sup> rate Timber Beech Sugar W. Oak. Walnut  
 Undergrowth Spice &c

East on Random between Secs 2 & 11  
 40.00 Set temp gr Sec. post  
 80.30 Intersected N & S line 14 lbs. N. of post  
 Land level 2<sup>nd</sup> rate. Timber Beech. Sugar  
 Ash W Oak &c Ugr. Spice &c

West Corrected Between Secs 2 & 11  
 40.15 Set gr Sec. post at avr. dist. from which  
 a Beech 12 in. dia. bears S 59 E 24 lbs. dist.  
 a W. Oak 60 " " " North 17 " "  
 80.30 Sec. cor.

North Between Secs 2 & 3  
 20.40 a Beech 10 in. dia  
 40.00 Set gr Sec. post from which  
 a Sugar 14 in. dia. bears N 5 W 53 lbs. dist.

T. 17 N., R. 3 W. 2. Mer. Ind.<sup>a</sup>  
 Lhs. & Shs.

a Hornbeam 8 in. dia. bears S 106° 23' lks. dist.  
 62.48 a Beech 12 " " "  
 66.00 Rackoon Creek 50 lks. S. W.  
 80.66 Intersected N. Boundary 58 lks. W of post  
 set post cor. to sec. 2, 3. from which  
 a Sugar 30 in. dia. bears S 35° 24' lks. dist.  
 a W. Ash 16 " " " N 89° W 23 " "  
 1 1/2 mile level 2<sup>d</sup> rate land 2<sup>d</sup> same  
 Timber Sugar Beech Ash & W. Oak Ugr.  
 Spice July 20<sup>th</sup> 1820

North Between Secs. 33 & 34

16.45 a Beech 12 in. dia  
 40.00 Set gr. Sec post from which  
 a Hornbeam 10 in. dia. bears S 30° W 15' lks. dist.  
 a Do 10 " " " N 59° E 14  
 62.23 a Elm 18 " "  
 66.00 a Brook 6 lks. wide S W.  
 80.00 Set post cor. to sec. 27, 28, 33, 34 from which  
 a Beech 10 in. dia. bears North 3 lks. dist.  
 a Do 20 " " " S 52° W 20 " "  
 Land level good 2<sup>d</sup> rate Timber Beech  
 Sugar Ash Walnut W. Oak & Ugr. Spice &c

East on Random between Secs. 27 & 34

8.50 a Brook 6 lks. S. W.  
 40.00 Set temp gr. Sec. post  
 72.50 a Brook 4 lks. wide course N. W.  
 80.12 Intersected at 4<sup>th</sup> Line 30 lks. N. of post  
 Land rolling good 2<sup>d</sup> rate Timber Beech  
 Sugar ash Walnut W. Oak &c Ugr. Spice &c

West Corrected Between Sec 27 & 34

40.06 Set grs. Sec post at avr dist from which  
 a Sugar 20 in. dia. bears N 8° W 18 lks. dist  
 a Beech 8 " " " S 25° W 8 " "  
 80.12 Sec. cor.

T. 17 N., R. 3 W. 2. Mer. Ind.<sup>a</sup>

8th. 2nd

North Between Secs. 27 & 28

21.83 a Beech 16 in. dia. " " "

40.00 Set gr. Sec. post from which  
a Beech 14 in. dia. bears S 6 W 5 lbs. dist.  
on Clin 30 " " " N 10 E 28 " "

58.23 a Linn 18 " " "

80.00 Set post cor. to Secs. 21.22.27.28 from which  
a Hornbeam 9 in. dia. bears N 48 W 5 lbs. dist.  
on Clin 30 " " " N 25 E 28 " "  
Land and timber same as the other

East on Random between Secs. 22 & 27

00.50 a Brook 3 lbs. N W

40.00 Set temp gr. post

80.02 Intersected N & S line 28 lbs. E. of post  
Land level 2<sup>d</sup> rate timber Beech Sugar  
Ash R. Oak W. Oak Ugr. Spice &c

West Corrected Between Secs. 22 & 27

40.11 Set post for gr. Sec. cor. at an. dist. from which  
a B. Ash 7 in. dia. bears N 36 E 12 lbs. dist.  
and Ironwood 8 " " " S 23 W 21 " "

80.02 Sec. cor.

North Between Secs. 22 & 21

00.95 a Brook 3 lbs. wide N. W

20.90 a Beech 14 in. dia.

40.00 Set gr. Sec. post from which  
a Beech 10 in. dia. bears S 52 E 12 lbs. dist.  
a Sugar 10 " " " N 48 W 14 " "

60.10 a Brook 8 lbs. S. W

71.70 a Sugar 20 in. dia. " " "

80.00 Set post cor. to sec. 15.16.21.22 from which  
a Dogwood 9 in. dia. bears N 96 E 9 lbs. dist.  
a Sugar 20 " " " N 72 W 18 " "  
Land rolling timber same as the other.



## T. T. N., R. 3 W. 2. Mer. Ind. a

Chs. 2<sup>nd</sup>

Cast on Random Between Secs 15 &amp; 22

9.84 a Brook 8 in. dia S. W

40.00 Set temp gr Sec. post

80.00 Intersected at S line 30 lbs N of post  
Land level 2<sup>nd</sup> rate timber Beech Sugar  
Poplar W. Oak Agr. Spice &c.

West Corrected Between Secs 15 &amp; 22

40.00 Set post for gr. Sec. cor. from which  
a Sugar 12 in. dia. bears S 26 E 15 lbs. dist.  
a W. Walnut 24 " " " S 26 W 26 " "80.00 Sec. cor. July 21<sup>st</sup> 1820

North Between Secs 15 &amp; 16

16.00 a Poplar 14 in. dia. " "

40.00 Set gr Sec. post from which  
a Sugar 12 in. dia. bears N 30 E 14 lbs. dist.  
a B. Ash 20 " " " S 67 W 17 " "

69.42 a Lynn 30 " "

80.00 Set post cor. to Secs 9. 10. 15. 16 from which  
a Sugar 9 in. dia. bears North 17 lbs. dist.  
a Hickory 12 " " " S 87 W 26 " "  
Land 1<sup>st</sup> 1/2 mile level 2<sup>nd</sup> rate 2<sup>nd</sup> p. m.  
same Timber Beech Sugar Ash W. Oak &c  
R. Oak Agr. Spice &c

Cast on Random Between Secs 10 &amp; 15

40.00 set temp gr Sec. post

80.05 Intersected at S line 20 lbs N. of post  
Land level 2<sup>nd</sup> rate Timber Beech Sugar  
W. Oak. R. Oak &c Agr. Spice &c

West Corrected Between Secs 10 &amp; 15

40.02 $\frac{1}{2}$  Set post for gr Sec. cor. at av. dist. from which  
a Beech 10 in. dia. bears S 75 W 8 lbs. dist.  
a Hickory 14 " " " S 56 E 4 " "



## T. 17 N., R. 3 W. 2. Mer. Ind. a

lks. 2 lks.

80.05 Sec. cor.

North Between Secs. 9 &amp; 10

15.00 a Hickory 12 in. dia

20.13 a Spring Branch S. W

40.00 Set gr sec post from which

a Sugar - 20 in. dia. bears South 10 lks dist

a Ironwood 9 " " " N 30 E 30 " "

48.50 a Brook 3 lks wide course N. W.

49.90 Forks of 2 Brooks 3 lks wide each N E

58.30 a Brook 5 lks wide course S W

64.40 a W. Oak 8 in. dia

80.00 Set post cor to sec. 3, 4, 9, 10 from which

a Hornbeam 9 in. dia. bears N 66 W 20 lks. dist.

an Ironwood 8 " " " S 72 E 6 " "

1 1/2 mile rolling 2<sup>d</sup> rate land 2 1/2 m. same

Timber Beech Sugar W. Oak Agr. Spice &amp;c

East on Random Between Secs. 3 &amp; 10

40.00 set temp. gr. Sec. post

80.10 Intersected N 4 S line 12 lks. S of post

Land rolling 2<sup>d</sup> rate timber Beech Sugar

W. Oak &amp;c Agr. Spice &amp;c

West Corrected Between Secs. 3 &amp; 10

40.05 Set gr post sec. cor at avr. dist from which

a Sugar 20 in. dia. bears N 74 E 24 lks. dist

a Elm 15 " " " S 66 E 18 " "

80.10 Sec. cor

North Between Secs. 3 &amp; 4

18.25 a Sugar 26 in. dia

40.00 Set gr sec. post from which

a Buckeye 14 in. dia. bears S 4 W 12 lks dist

a Do 10 " " " North 3 " "

41.50 to Rackow Creek 50 lks S. W

55.70 a Sugar 24 in. dia.

## T. 17 N., R. 3 W. 2. Mer. Ind.

E. &amp; S.

- 64.86 a Brook 4 lks S W.  
 81.10 Intersected N. Boundary 10 lks E. of post  
 set post cor. to Sec. 3. 4 from which  
 a W. Oak 9 in. dia. bears South 10 lks dist.  
 a Hickory 30 " " " N 54 W 12 " "  
 Land 1 $\frac{1}{2}$  mile part Rolling part bottom.  
 2 $\frac{1}{2}$  m. Same timber sugar ash walnut  
 Beech & Ugr. Spice. July 22<sup>d</sup> 1820

North Between Secs. 32 &amp; 33

- 21.67 a B. Walnut 24 in. dia.  
 40.00 Set gr. Sec. post from which  
 a Beech 20 in. dia. bears South 7 lks dist.  
 a Do 10 " " " " N 54 W 34 " "  
 61.20 a Sugar 14 " "  
 72.44 a Brook 5 lks wide course S. W.  
 80.00 Set post cor. to sec. 28, 29, 32, 33 from which  
 a W. Oak 20 in. dia. bears N 51 W 8 lks dist.  
 a Do 15 " " " " S 49 W 5 " "  
 Land 1 $\frac{1}{2}$  mile good 2<sup>d</sup> rate 2 $\frac{1}{2}$  m. level  
 & part bottom timber Beech Sugar ash  
 Walnut W. Oak & Ugr. Spice &c

East on Random Secs. 28 &amp; 33

- 21.15 a Brook 15 lks S W  
 30.00 Same " " " " N. W.  
 40.00 Set temp. gr. Sec. post  
 40.26 a Brook 15 lks wide S. W.  
 44.69 a " " " " " " N. W.  
 54.50 a Spring branch S W  
 80.25 Intersected N. & S. line 5 lks S. of post  
 Land level and rich timber Sugar Walnut  
 ash poplar Beech Ugr. Spice &c

West Corrected Between Secs. 28 &amp; 33

- 40.12 $\frac{1}{2}$  Set post for gr. Sec. cor. at. app. dist from which

Chs. 24  
T. 17 N., R. 3 W. 2. Mer. Ind. a

a Sycamore 30 in. dia. bears N 56 E 16 lks. dist.  
a Hornbeam 8 " " " N 45 W 16 " "  
80.25 Sec. cor

North Between Secs 28 & 29

17.00 a Hickory 24 in. dia.  
40.00 Set gr Sec. post from which  
a Beech 3 in. dia. bears S 50 W 25 lks. dist.  
a Do 30 " " " S 80 E 29 " "  
47.50 a Brook 8 lks wide course S W.  
56.60 a Sugar 18 in. dia.  
80.00 Set post cor. to sec. 20. 21. 28. 29 from which  
a Sugar 20 in. dia. bears S 23 W 14 lks. dist  
a Hornbeam 8 " " " N 12 E 22 " "  
Land rolling and rich Timber Sugar. ash  
Walnut W. Oak Beech Ugr. Spice &c

East on Random between Secs 21 & 28

40.00 set temp gr sec. post  
49.15 a Brook 4 lks. wide course S W  
54.45 a Do 4 " " " " N W same  
55.36 a Do 4 " " " " S W "  
57.79 a Do 4 " " " " N W "  
73.00 a Do 4 " " " " S W "  
80.20 Intersected N & S line 10 lks S. of post  
Land level rich. Timber Sugar ash. W. Oak  
Beech Ugr. Spice &c

West Corrected Between Secs 21 & 28

40.00 Set gr Sec. post for cor. at av. dist. from which  
a Beech 20 in. dia. bears S 60 E 15 lks. dist.  
a Sugar 18 " " " S 53 W 18 " "  
80.20 Sec. cor.

North Between Secs 20 & 21

24.50 a Beech 24 in. dia.

## T. W. N., R. 3 W. 2. Mer. Ind.?

8th. 4th.

40.00 Set gr. Sec. post from which  
 a Beech 20 in. dia. bears S 95 E 23 lks. dist.  
 a Do 30 " " " N 40 W 40 " "

58.05 a Brook 8 lks. S W

70.25 a Beech 14 in. dia

71.00 a Spring Branch S W

80.00 set post cor. to sec. 16. 17. 20. 21 from which

a Beech 12 in. dia. bears N 4 W 21 lks. dist.

a Do 8 " " " S 11 E 23 " "

Land 1 $\frac{1}{2}$  M. Rolling good 2 $\frac{3}{4}$  rate 2 $\frac{1}{2}$  M.  
 same timber Sugar ash W. Oak Beech  
 B. Walnut & Ugr. Spice &c

East on Random between 16 &amp; 21

40.00 Set temp gr post

80.00 Intersected at S 6 lks. N. of post

Land rolling & Rich. timber Beech Sugar  
 ash W. Oak Walnut & Ugr. Spice &c

West Corrected between Sec. 16 &amp; 21

40.00 Set post for gr. Sec. cor. at av. dist. from which  
 a W. Walnut 20 in. dia. bears N 73 E 30 lks. dist.

a Sugar 12 " " " N 74 W 16 " "

80.00 Sec. cor. July 23<sup>d</sup> 1820

North Between Sec. 16 &amp; 17

24.42 a Beech 20 in. dia.

40.00 Set gr. Sec. post from which

a Sugar 12 in. dia. bears S 43 E 4 lks. dist.

a Buckeye 14 " " " N 75 W 17 " "

68.62 a Sugar 20 " "

80.00 Set post cor. to sec. 8. 9. 16. 17 from which

a Sugar 18 in. dia. bears N 58 E 26 lks. dist.

a Do 12 " " " N 63 W 15 " "

1 $\frac{1}{2}$  M. level 2 $\frac{3}{4}$  rate land 2 $\frac{1}{2}$  M. same  
 timber Beech Sugar W. Oak Walnut Ugr. Spice &c



## T. 17 N., R. 3 W. 2. Mer. Ind.?

Obs. &amp; Sta

East on Random between Secs 9 &amp; 16

40.00 Set temp gr Sec. post

79.80 Intersected at &amp; S line 10 lbs N. of post

Land Rolling 2<sup>nd</sup> rate timber Sugar Beech  
W. Oak Ash & Ugr. Spice &c

West Corrected Between Secs 9 &amp; 16

39.90 Set post for gr. Sec. cor. at avr. dist. from which  
a W. Oak 30 in dia bears at 45° 18 lbs. dist.  
a Beech 20 " " " at 52° 23 " "

79.80 Sec. cor.

North Between Secs 8 &amp; 9

16.39 a Hackberry 30 in. dia.

19.50 Raccoon Creek 50 lbs. S W.

40.00 Set gr Sec. post from which

a Sugar 15 in. dia. bears at 77° 29 lbs. dist.

a Do. 24 " " " 94° 57° 35 " "

22.30 a W. Oak 36 " "

80.00 Set post cor to sec. 4. 5. 8. 9 from which

a Bur. Oak 40 in. dia. bears at 26° 26 lbs. dist.

a Sugar 15 " " " 121° 37 " "

Land 1/2 mile part bottom 2<sup>nd</sup> rolling &  
Rich, timber Sugar Ash. Walnut W. Oak  
Hackberry & Ugr. Spice &c

East on Random Between Secs 4 &amp; 9

40.00 Set temp gr post

43.50 Raccoon Creek 50 lbs wide S W.

79.82 Intersected at &amp; S line 12 lbs N. of post

Land part rolling part bottom rich. timber  
Sugar Walnut W. Oak Beech Ugr. Spice &c

West Corrected Between Secs 4 &amp; 9

39.91 Set post for gr Sec. cor. at avr. dist. from which

a Sugar 20 in. dia. bears 173° 30 lbs. dist.



## T. 17 N., R. 3 W. 2. Mer. Ind. a

8th. 4th.

a Sugar 24 in. dia. bears N 21 W 20 lks dist.  
79.82 Sec. cor.

North Between Secs 4 &amp; 5

38.85 a Sycamore 30 in. dia

40.00 Set gr. Sec. post from which

a Hickory 14 in. dia. bears N 67 E 3 lks. dist.

a B. Oak 10 " " " S 47 W 12 " "

54.04 a Elm 16 " "

81.12 Intersected N. Boundary 5 lks. E of post  
set post cor. to sec. 4. 5. from which

a Beech 20 in. dia. bears N 37 E 30 lks. dist.

a Do 12 " " " S 25 W 28 " "

1 1/4 mile level 2<sup>nd</sup> rate 2 1/4 m. Same timber

Beech W. Oak Maple Sugar &amp;c. Upr. Spruce

July 29<sup>th</sup> 1820

North Between Secs 31 &amp; 32

14.50 a Brook 3 lks. N W

18.00 a Sugar 18 in. dia.

40.00 Set gr. Sec. post from which

a Hickory 24 in. dia. bears N 62 W 9 lks. dist.

a Do 13 " " " N 1 W 16 " "

65.86 a B. Walnut 17 " "

72.30 a Brook 5 lks. wide S. W

80.00 Set post cor. to Secs 29. 30. 31. 32 from which

a W. Oak 15 in. dia. bears S 55 E 8 lks. dist.

a Buckeye 12 " " " N 41 W 26 " "

1 1/4 mile level 2<sup>nd</sup> rate land 2 1/4 m.

Same Timber Beech Sugar W. Oak Hickory

Undergrowth Spruce &amp;c

East on Random Between Secs 29 &amp; 32

15.00 a Brook 6 lks. wide course S. W

40.00 Set temp. gr. Sec. post

79.75 Intersected N. &amp; S. line 56 lks. N. of post

## T. 17 N., R. 39 W. 2. Mer. Ind. a

Exp. 2<sup>nd</sup>

Land level 2<sup>nd</sup> rate Timber Beech Sugar Ash  
W. Oak & Ugr. Spice &c

West Corrected Between Secs. 29 &amp; 32

39.87 $\frac{1}{2}$  Set post for gr. sec. cor. at av. dist. from which  
a Hickory 20 in. dia. bears N 47 E 9 lbs. dist.  
a Do 24 " " " N 61 W 37 " "

79.75 Sec. cor.

North Between Secs. 29 &amp; 30

24.33 a Sugar 16 in. dia.

40.00 Set gr. Sec. post from which  
an Elm 20 in. dia. bears S 48 W 9 lbs. dist.  
a Buckeye 10 " " " N 80 E 17 " "

59.00 a Hickory 20 " "

80.00 Set post cor. to sec. 19. 20. 29. 30 from which  
a B. Ash 10 in. dia. bears S 75 W 20 lbs. dist.  
an Ironwood 7 " " " N 33 E 37 " "

1 $\frac{1}{2}$  mile level good 2<sup>nd</sup> rate 2 $\frac{1}{2}$  m. same  
Timber Sugar Ash Walnut Hickory W. Oak  
Undergrowth Spice &c

East on Random Between Secs. 20 &amp; 29

40.00 Set temp. gr. Sec. post

79.70 Intersected at 50 lbs. of post.

Land level good 2<sup>nd</sup> rate Timber Sugar &  
Ash W. Oak Walnut Beech Ugr. Spice &c

West Corrected Between Secs. 20 &amp; 29

39.85 Set post for gr. Sec. cor. at av. dist. from which  
an Ironwood 10 $\frac{1}{2}$  dia. bears N 31 E 25 lbs. dist.  
a Hornbeam 7 " " " S 2 W 15 " "

79.70 Sec. cor.

North Between Secs. 19 &amp; 20

35.00 a W Oak 24 in. dia.

40.00 Set gr. Sec. post from which

T. 17 N., R. 3 W. 2. Mer. Ind.<sup>a</sup>

Elev. 840.

- an Elm 20 in. dia. bears N 80 E 27 lbs. dist.  
 a W. Oak 24 " " " - 44 W 25 " "  
 58.56 a Do 40 " " "  
 80.00 Set post cor. to sec. 17. 18. 19. 20 from which  
 a Sugar 30 in. dia. bears S 55 E 30 lbs. dist.  
 an Elm 12 " " " N 27 W 53 " "  
 N. 1/2 mile level good 2<sup>d</sup> rate land 2<sup>d</sup> M.  
 Same timber Sugar Beech Walnut W. Oak  
 Agr. Spice &c

East on Random between Secs. 17 &amp; 20

- 27.00 a Brook 7 lbs. wide N W  
 28.20 Same 7 " " S W  
 30.00 " 7 " " N W  
 40.00 Set temp gr see post  
 79.75 Intersected at & S 17 shock of post  
 Land level good 2<sup>d</sup> rate timber Sugar Beech  
 ash W. Oak &c Agr. Spice &c

West corrected Between Secs. 17 &amp; 20

- 39.87 1/2 Set post for gr. Sec. cor at an distance from which  
 a W. Oak 20 in. dia. bears N 66 E 15 lbs. dist.  
 a Buckeye 9 " " " S 81 W 15 " "  
 79.75 1/2 Sec. cor. August 1<sup>st</sup> 1820

North Between Secs. 17 &amp; 18

- 7.30 Rackoon Creek 50 lbs wide course W.  
 20.06 a Bur Oak 30 in. dia.  
 20.50 a Spring branch 3 lbs S W  
 40.00 Set gr. Sec. post from which  
 a Sugar 12 in. dia. bears S 53 W 20 lbs. dist.  
 a Do 10 " " " N 49 E 35 " "  
 62.79 a Do 20 " " "  
 80.00 Set post cor to sec. 7. 8. 17. 18 from which  
 a Sugar 10 in. dia. bears N 63 E 14 lbs. dist.  
 a Do 20 " " " N 84 W 27 " "

T. 17 N., R. 3 W., 2<sup>d</sup> Mer. Ind.<sup>a</sup>

Chr. Chr.

Land 1<sup>1</sup>/<sub>2</sub> mile rolling 2<sup>d</sup> rate 2<sup>1</sup>/<sub>2</sub> m.  
 same Timber Sugar W. Oak Hickory &c  
 Beech walnut Ugr. Spice &c

East on Random between Sec<sup>s</sup> 8 & 17

39.00 a Spring Branch course S.

40.00 Set temp gr Sec. post

51.50 Rackoon Creek 50 lbs S W

79.68 Intersected cr & S. line 15 lbs N of post

Land part rolling part bottom Rich  
 timber Sugar ash poplar W. Oak Walnut  
 Ugr Spice &c

West Corrected between Sec<sup>s</sup> 8 & 17

39.84 Set post for gr Sec. cor. at arr. dist. from which  
 an Elm 10 in. dia. bears S 22 W 23 lbs. dist

a Sugar 20 " " " N 40 E 23 " "

79.68 Sec. cor.

North Between Sec<sup>s</sup> 7 & 8

17.74 a W Oak 16 in. dia

40.00 Set gr Sec. post from which

an Ironwood 10 in. dia. bears N 22 E 12 lbs. dist.

a Beech 12 " " " S 84 W 22 " "

64.75 a Do 20 " "

80.00 Set post cor. to sec. 5. 6. 7. 8. from which

a Sugar 12 in. dia. bears S 54 E 26 lbs. dist.

a Do 10 " " " N 65 W 34 " "

1<sup>1</sup>/<sub>2</sub> mile level 2<sup>d</sup> rate. 2<sup>d</sup> do. timber

Sugar Beech Hickory W. Oak Ugr. Spice &c

East on Random between Sec 5 & 8

40.00 Set temp gr Sec. post

79.69 Intersected cr & S line 25 lbs cr. of post

Land level & wet 2<sup>d</sup> rate timber Beech

Elm maple Hickory Ugr. Spice &c



Ths. Shs. T. 17 N., R. 3 W. 2. Mer. Ind. a

West Corrected Between Sec 5 & 8

39.84 1/2 Set post for gr Sec. cor at. avr. dist. from which  
an Elm 30 in. dia. bears N 66 W 7 lbs dist.

a B. Ash 10 " " " S 77 E 17

79.69 Sec. cor.

North Between Secs 5 & 6

20.25 a Sugar 12 in. dia.

40.00 Set gr Sec. post from which  
an Elm 7 in. dia. bears N 19 E 32 lbs. dist.  
a Beech 12 " " " N 77 W 12 " "

63.82 an Indian track N E.

68.33 a Hornbeam 6 in. dia

81.00 Intersected N. Boundary 112 lbs of post  
set post cor to Sec 5 & 6 from which  
a Beech 12 in. dia. bears N 47 E 21 lbs. dist.  
a Sugar 20 " " " S 30 W 30 " "

1 1/4 mile land level 2 rate 2 1/2 m.  
same. Timber W. Oak Sugar Beech  
Ash & Ugr. Spice &c August 2. 1820

West Between Secs 30 & 31

15.70 a W. Oak 15 in. dia

40.00 Set gr Sec. post from which  
an Elm 10 in. dia. bears N 7 E 20 lbs. dist.  
a Hackberry 17 in dia bears S 58 W 21 " "

48.30 a Brook 8 lbs wide course N W

55.22 a Hickory 30 in. dia

64.50 a Brook 8 in. dia. S. W

80.55 Intersect W. Boundary 75 lbs S. of post  
set post cor. to sec. 30. 31. from which  
a Hickory 10 in. dia. bears S 31 E 14 lbs. dist.  
a Do 20 " " " N 60 W 13 " "

1 1/4 mile level & Rich 2 1/2 m. same.  
Timber. Sugar ash walnut W Oak &c  
Undergrowth Spice &c

T. 17 N., R. 3 W. 2<sup>d</sup> Mer. Ind<sup>a</sup>.

Cor. Cor.

West Between Secs. 19 &amp; 30

22.12 a Lynn 10 in. dia.

40.00 Set gr. Sec. post from which  
a Hickory 9 in. dia. bears S 46 W 20 lks. dist &  
a Hornbeam 8 " " " N 38 E 2 " "

63.40 an Ironwood 7 " "

80.74 Intersected W. Boundary 175 S. of post  
Set post cor. to sec. 19 & 30 from which  
a Hickory 24 in. dia. bears S 15 E 17 lks. dist &  
a W. Oak 12 " " " S 55 W 7 " "  
1 $\frac{1}{2}$  mile level 2<sup>d</sup> rate 2 $\frac{1}{4}$  m. same  
Timber Sugar Beech W. Oak Elm &  
Ugr. Spice &

West Between Secs. 18 &amp; 19

14.83 a Beech 24 in. dia.

40.00 Set gr. Sec. post from which  
a Beech 9 in. dia. bears S 49 W 16 lks. dist &  
a Sugar 15 " " " N 76 W 25 " "

40.64 a Spring Branch N.

60.40 a Sugar 20 in. dia.

80.50 Intersected W. Boundary 202 lks S. of post  
Set post cor. to Sec. 18. 19 from which  
a Sugar 15 in. dia. bears S 47 W 9 lks. dist. &  
a Hickory 7 " " " N 84 E 4 " "  
1 $\frac{1}{2}$  mile rolling land 2<sup>d</sup> same. timber  
Sugar W. Oak R. Oak. Beech Ugr. Spice &

West Between Secs. 7 &amp; 18

18.25 a Hickory 12 in. dia.

40.00 Set gr. Sec. post from which  
a B. Oak 24 in. dia. bears S 65 W 49 lks. dist &  
a Hickory 14 " " " N 72 E 13 " "

70.90 an Elm 30 " "

80.36 Intersected W. Boundary 204 lks S. of post  
Set post cor. to sec 7 & 18 from which

lbs. lbs. T. 17 N., R. 3 W. 2. Mer. Ind. a

a W. Oak 40 in. dia. bears S 41 E 15 lbs. dist. E

a W. Oak 7 .. .. N 42 E 18 .. ..

1 1/4 mile level 2 rate 2 1/4 m. same.

Timber. Sugar Beech W Oak Hickory &c  
Undergrowth. Spice &c

West Between Secs. 6 & 7

17.58 a Elm 24 in. dia.

40.00 Set gp. Sec. post from which

— 20 in. dia. bears S 27 W 10 lbs. dist. E.

a Ironwood 8 in. .. N 80 E 16 .. ..

55.87 a Sugar 15 .. ..

79.23 Intersected W. Boundary 222 S. of post  
set post cor. to sec. 6. 7 from which

a Sugar 14 in. dia. bears N 26 W 3 lbs. dist. E

a Beech 30 .. .. N 68 E 37 .. ..

1 1/4 mile flat 2 1/4 m. same. timber

Elm W. Oak Beech Hickory & Upr. Spice &c

Var. 6. 40. E.

August 3<sup>d</sup> 1820

Surveyed by

Joseph Collett, Dep. Sur.

I certify that the foregoing transcript of  
Field Notes of the survey of Township N. 17 North,  
in Range N. 3 West of the 2. Principal Mer-  
idian, in the State of Indiana, has been com-  
pared with the original on file in this office,  
and found to be correct.

Surveyor General's Office,

Cincinnati, Oct. 19. 1842

William Johnston  
Sur. Genl.